RECEIVED CENTRAL FAX CENTER

AUG 0 3 2007

Serial No.: 10/667,869 Group Art Unit: 2616 Examiner: Redentor M. Pasia

Amendment to the Claims

1. (Currently Amended) A <u>physical</u> packet services node within a telecommunications network, comprising:

a logical master communications node associated with operated by a service provider as an independent packet services node of the service provider that is capable of handling service requests for customers of the service provider and is capable of being dynamically configured in a customized manner by the service provider; and

common resources, a portion of said common resources being dedicated to said logical communications node and capable of being dynamically configured by the service provider.

- 2. (Original) The packet services node of Claim 1, wherein the portion of said common resources is capable of being dynamically and customarily reconfigured and allocated to said logical communications node.
- 3. (Original) The packet services node of Claim 1, wherein said common resources include switch fabric.
- 4. (Original) The packet services node of Claim 1, wherein said common resources include a line board.
- 5. (Currently Amended) The packet services node of Claim ‡ 4, wherein the line board includes optical and electrical signal processing and handling components, optical and electrical signal processing and the handling components including at least one of such as transceivers, optical splitters, optical/electrical converters, optical delays, electronic controllers, wavelength converters, and a high speed optical/electrical switching element.
- 6. (Original) The packet services node of Claim 1, wherein said common resources include traffic processor boards.

Serial No.: 10/667,869 Group Art Unit: 2616 Examiner: Redentor M. Pasia

- 7. (Original) The packet services node of Claim 1, wherein said common resources include software resources.
 - 8. (Currently Amended) The packet services node of Claim 1, further comprising:

an additional logical communications node associated with operated by an additional service provider as an independent packet services node of the additional service provider that is capable of handling service requests for customers of the additional service provider, said additional logical communications node being capable of being dynamically configured in a customized manner by the additional service provider; and

an additional portion of said common resources dedicated to said additional logical communications node and capable of being configured by the additional service provider.

- 9. (Currently Amended) The packet services node of Claim 6 8, further comprising:
- a firewall providing private and secure separation between said logical communications node and said additional logical communications node.
- 10. (Currently Amended) The packet services node of Claim 6 8, wherein said additional logical communications node is a master communications node and the additional service provider is an operator of the physical packet services node, the master communications node being configured to manage and allocate said common resources to said logical communications node.
- 11. (Currently Amended) The packet services node of Claim 1, wherein the <u>physical</u> packet services node is an internet protocol (IP)-based router or switch, optical switch with IP awareness or a voice softswitch.
 - 12. (Canceled).

08/03/2007 11:55

Examiner: Redentor M. Pasia

13. (Currently Amended) A system for sharing and optimizing resources between service providers within a telecommunications network, comprising:

HOLLY RUDNICK

- a first service provider capable of providing telecommunications services to end users; and
- a unified and integrated switch within the telecommunications network and having a physical interface to said first service provider, said unified and integrated switch including a first logical communications node associated with operated by said first service provider as an independent packet services node of said first service provider that is capable of handling service requests for said end users, said first logical communications node having a first portion of common resources within said unified and integrated switch dedicated thereto, the first portion of the common resources being configured by said first service provider.
- 14. (Original) The system of Claim 13, wherein the first portion of the common resources is dynamically and customarily reconfigured and allocated to the first logical communications node by said first service provider.
 - 15. (Currently Amended) The system of Claim 13, further comprising:
- a second service provider, said unified and integrated switch including a second logical communications node associated with operated by said second service provider as an independent packet services node of said second service provider that is capable of handling service requests for end users of said second service provider, the second logical communications node having a second portion of the common resources dedicated thereto that is configured by said second service provider.
- 16. (Original) The system of Claim 15, wherein the second logical communications node is a master communications node and said second service provider is an operator of said unified and integrated switch, said master communications node being configured to manage and allocate the common resources to the first logical communications node.

Serial No.: 10/667,869 Group Art Unit: 2616 Examiner: Redentor M. Pasia

17. (Original) The system of Claim 16, wherein the master communications node is connected to additional master communications nodes on respective unified and integrated switches on the telecommunications network.

- 18. (Original) The system of Claim 15, wherein said unified and integrated switch further includes a logical interface between the first logical communications node and the second logical communications node.
- 19. (Currently Amended) A method for sharing and optimizing resources of a <u>physical</u> packet services node within a telecommunications network between service providers, comprising:

receiving a service request from a service provider, said service request including configuration information for a logical communications node associated with the service provider within the physical packet services node that is to be operated by the service provider as an independent packet services node of the service provider that is capable of handling customer service requests for customers of the service provider;

allocating a portion of common resources within the packet services node to the logical communications node; and

configuring the portion of the common resources allocated to the logical communications node using the configuration information; and

providing a service to the service provider using the logical communications node within the packet services node.

20. (Currently Amended) The method of Claim 19, wherein said receiving further comprises:

receiving a service request to establish the logical communications node associated with the service provider within the <u>physical</u> packet services node.

Serial No.: 10/667,869 Group Art Unit: 2616 Examiner: Redentor M. Pasia

21. (Currently Amended) The method of Claim 19, wherein said receiving further comprises:

receiving a service request to establish a new service for reconfigure the logical communications node associated with the service provider within the physical packet services node.

- 22. (Original) The method of Claim 19, wherein said allocating and said configuring are performed statically.
- 23. (Original) The method of Claim 19, wherein said allocating and configuring are performed dynamically.
 - 24. (New) The packet services node of Claim 1, further comprising:

a physical interface to the service provider that is capable of receiving commands for configuring and allocating the portion of the common resources dedicated to the service provider.